


LIST OF PUBLICATIONS


ABOUT SEBBIN PRODUCTS





Sebbin
PARIS


SILICONE BREAST IMPLANTS


Manero I, Rodriguez-Vega A, Labanca T. **Combined breast reduction augmentation. Aesthetic Plast Surg.** 2019;43(3):571-81. 

Tanner B. **Low rate of capsular contracture in a series of 214 consecutive primary and revision breast augmentations using microtextured implants. JPRAS Open.** 2018;15:66-73. 


El-Haddad R, Lafarge-Claoue B, Garabedian C, Staub S. **A 10-year prospective study of implant-based breast augmentation and reconstruction. Eplasty.** 2018;18:e7. 

Garabédian C, Delille R, Deltombe R, Anselme K, Atlan M, Bigerelle M. **A multi-topographical-instrument analysis: the breast implant texture measurement. Surface Topography: Metrology and Properties.** 2017;5(2):025004. 


Atlan M, Bigerelle M, Larreta-garde V, Hindie M, Heden P. **Characterization of breast Implant surfaces, shapes, and biomechanics: A comparison of high cohesive anatomically shaped textured silicone, breast implants from three different manufacturers. Aesthetic Plast Surg.** 2016;40(1):89-97. 


Friedman T, Davidovitch N, Scheflan M. **Comparative double blind clinical study on round versus shaped cohesive gel implants. Aesthet Surg J.** 2006;26(5):530-6. 


TESTICULAR IMPLANTS


Pigot GLS, Al-Tamimi M, Ronkes B, van der Sluis TM, Ozer M, Smit JM, et al. **Surgical Outcomes of Neoscrotal Augmentation with Testicular Prostheses in Transgender Men. J Sex Med.** 2019;16(10):1664-71. 

SALINE BREAST IMPLANTS


Mimoun M, Malca N, Chaouat M, Dutot MC, Haddad J, Serron K, et al. **A 10-year follow-up experience of 383 patients with bilateral smooth inflatable breast implants filled with saline solution. Aesthetic Plast Surg.** 2019. 


De Runz A, Boccara D, Bekara F, Chaouat M, Mimoun M. **Outcome of 122 delayed breast reconstruction following post-mastectomy radiotherapy: The scarless latissimus dorsi flap with tissue expansion technique. Ann Chir Plast Esthet.** 2017;62(1):23-30. 


Giacalone PL, Bricout N, Dantas MJ, Daures JP, Laffargue F. **Achieving symmetry in unilateral breast reconstruction: 17 years experience with 683 patients. Aesthetic Plast Surg.** 2002;26(4):299-302. 

Vila-Rovira R. **Breast augmentation by an umbilical approach. Aesthetic Plast Surg.** 1999;23(5):323-30. 


GLUTEAL IMPLANTS


Royer E, Hersant B, Philandrianos C, Jaloux C, Casanova D, Bertrand B. **Post-bariatric buttock contouring with gluteal implants during circumferential body lift: step-by-step video description and 1-year results. Aesthet Surg J.** 2019;39(2):233-7. 


Schmitt T, Jabbour S, Makhoul R, Noel W, Reguesse AS, Levan P. **Lower Body lift in the massive weight loss patient: A new classification and algorithm for gluteal augmentation. Plast Reconstr Surg.** 2018;141(3):625-36. 


Levan P, Bassilios Habre S. **Gluteal implants versus autologous flaps in patients with postbariatric surgery weight loss: A prospective comparative study of 3-dimensional gluteal projection after lower body lift. Aesthet Surg J.** 2017;37(9):1012-21. 


TISSUE EXPANDERS

Park H, Lee S, Kim B, Lim do H, Choi YL, Choi GS, et al. **Tissue expander placement and adjuvant radiotherapy after surgical resection of retroperitoneal liposarcoma offers improved local control.** Medicine (Baltimore). 2016;95(32):e4435. 


Kim BJ, Lee Y. **Use of scar and capsule flap for preventing the contour deformity after applying tissue expansion in patients with scar.** J Craniofac Surg. 2014;25(2):e151-4. 

Lee TS, Lim SY, Pyon JK, Mun GH, Bang SI, Oh KS. **Secondary revisions due to unfavourable results after microtia reconstruction.** J Plast Reconstr Aesthet Surg. 2010;63(6):940-6. 


Himy S, Zink S, Bodin F, Bruant-Rodier C, Wilk A, Meyer C. **Calvarial bone grafting in augmentation rhinoplasty. Long-term results.** Rev Stomatol Chir Maxillofac. 2009;110(5):256-62. 

Son TT, Hung NB. **Our experience with tissue expansion on a series of 50 cases in Vietnam.** Ann Chir Plast Esthet. 2002;47(6):633-40. 

NASAL STENTS


Hennocq Q, Person H, Hachani M, Bertin H, Corre P, Gorbonosov V, et al. **Quality of life and nasal splints after primary cleft lip and nose repair: Prospective assessment of information and tolerance.** J Craniomaxillofac Surg. 2018;46(10):1783-9. 


FAT WASHER


Schmitt T, Jabbour S, Makhoul R, Noel W, Reguesse AS, Levan P. **Lower body lift in the massive weight loss patient: A new classification and algorithm for gluteal augmentation.** Plast Reconstr Surg. 2018;141(3):625-36. 

Ulloa M, Coronel Banda M. **Scar tissue causing saphenous nerve entrapment: percutaneous scar release and fat grafting.** Plast Reconstr Surg Glob Open. 2017;5(9):e1495. 


THORAX IMPLANTS

Chavoïn JP, Taizou M, Moreno B, Leyx P, Grolleau JL, Chaput B. **Correcting Poland syndrome with a custom-made silicone implant: contribution of three-dimensional computer-aided design reconstruction.** Plast Reconstr Surg. 2018;142(2):109e-19e. 

Chavoïn JP, Grolleau JL, Moreno B, Brunello J, Andre A, Dahan M, et al. **Correction of Pectus Excavatum by custom-made silicone implants: contribution of computer-aided design reconstruction. A 20-year experience and 401 cases.** Plast Reconstr Surg. 2016;137(5):860e-71e. 

Ho Quoc C, Chaput B, Garrido I, Andre A, Grolleau JL, Chavoïn JP. **Management of breast asymmetry associated with primary funnel chest.** Ann Chir Plast Esthet. 2013;58(1):54-9. 

MESO BIOMATRIX

Luo X, Kulig KM, Finkelstein EB, Nicholson MF, Liu XH, Goldman SM, et al. **In vitro evaluation of decellularized ECM-derived surgical scaffold biomaterials.** J Biomed Mater Res B Appl Biomater. 2017;105(3):585-93. 

Hoganson DM, Owens GE, O'Doherty EM, Bowley CM, Goldman SM, Harilal DO, et al. **Preserved extracellular matrix components and retained biological activity in decellularized porcine mesothelium.** Biomaterials. 2010;31(27):6934-40. 